FUME EXTRACTOR PRODUCT BROCHURE- FE1030S Contains the most comprehensive and high-quality smoke purifier

KIANTECH


Features:

- Built-in carbon and HEPA filters for 99.97% air purification
- 360-degree universal adjustable smoke pipe, no external support required
- Brushless DC motor delivers strong airflow with minimal noise
- Compact and portable design suitable for desktops and production lines
- Easy installation without additional piping
- Separately replaceable filter elements for lower maintenance cost
- LED indication for real-time monitoring

Structure:



Double Filtration Effective Purification



Pre-filter cotton

Filter smoke and large particles, PM50

HEPA filter

Flter micron, particles and oil fume

The primary, and main filter elements can be replaced separately, which prolongs the service life and reduces the use cost.

TECHNICAL SPECIFICATIONS

INPUT VOLTAGE AC 230V Power 35W Air Inlet Interface ϕ_{75} Suction 138m3/h **Filter Layers 2 Layers** Noise 30-50dB Pipe Length 0.48m Filtration Efficiency >0.3µm 99.97% **Display Mode LED Indication Dimensions 172*172*110mm** Weight 1.61kg

KIANTECH guarantees that the Fume Extractor is free from any defect in material and workmanship

within Two years from the purchase date. This warranty does not apply to damages caused by accident, negligence, misuse, modification,

contamination or improper handling. If you need warranty service within the warranty period, please contact your seller directly. KIANTECH will not be

responsible for any special, indirect, incidental or subsequent damage or loss caused by using this device.



Headquarter REGUS, 7th Floor, Sector 32 Rd Plot No, BW-58, Logix, Noida, Uttar Pradesh 201301 Phone: +91 85952 78578