

KIANTECH


Features:

- Built-in carbon and HEPA filters for 99.97% air purification
- 360-degree universal adjustable smoke pipe, no external support required
- Brushless DC motor delivers strong airflow with minimal noise
- Compact and portable design suitable for desktops and production lines
- Easy installation without additional piping
- Separately replaceable filter elements for lower maintenance cost
- LED indication for real-time monitoring

Structure:



Triple Filtration Effective Purification



The primary, medium and main filter elements can be replaced separately, which prolongs the service life and reduces the use cost.

TECHNICAL SPECIFICATIONS

INPUT VOLTAGE AC 230V

Power 200W

Air Inlet Interface \$\phi_{75}\$

Suction 258m3/h

Filter Layers 3 Layers

Noise 50-60dB

Pipe Length 1.3m

Filtration Efficiency > 0.3 µm 99.97%

Display Mode Knob Indication

Dimensions 420*240*450mm

Weight 16kg

KIANTECH guarantees that the Fume Extractor is free from any defect in material and workmanship

within Two years from the purchase date. This warranty does not apply to damages caused by accident, negligence, misuse, modification, contamination or improper handling. If you need warranty service within the warranty period, please contact your seller directly. KIANTECH will not be

responsible for any special, indirect, incidental or subsequent damage or loss caused by using this device.



Headquarter REGUS, 7th Floor, Sector 32 Rd Plot No, BW-58, Logix, Noida, Uttar Pradesh 201301 Phone: +91 85952 78578