Intelligent safety and scald prevention ////>

FIELD REPAIRS Take it with you

DC 96W

65W PD Power

Constant Temperature &Fast Heating

CNC Metel Integral Molding

Smart safety anti-scald




Coexistence of appearance and performance

WHY CHOOSE FNIRSI HS-01 [SMART SOLDERING IRON?]

Shh!'I'm telling you, under the rose that...



Mini pocket size



OLFD. display



Ergonomic design



Aluminum material



65W PD protocol



65 Melting tin



Efficient heat radiation



Left/Right hand switch



Optional input voltage



PID Smart constant temperature



Inductive sleep



Integrated soldering iron head

+ HANDY FOR FIELD REPAIR





Ergonomic handle design, like the paintbrush in Da Vinci's hand, HS-01 is integrated with your hand



Freely adjust the temperature whenever day and night



Silicone material Comfortable/Anti-slip/Anti-scald



The calm personality endowed by the metal texture has buried the core of wisdom in the unassuming colors


IT IS ALWAYS DIFFICULT FOR LEFT-HANDED PEOPLE TO BUY TOOLS THAT MEET THEIR NEEDS.

EINSTEIN AND DA VINCI ALSO HAVE THIS TROUBLE!!!

BUT.....

HS-01 CAN SWITCH LEFT/RIGHT HAND





PD POWER SUPPLY

ADJUSTABLE INPUT VOLTAGE

PD fast charging head, Power Bank, DC power adapter (Adapter cable)

		- 4
OPERATING CURRENT	POWER	MELTING TIME
≥4A	96W	6s
≥3.25A	65W	8s
≥2.5A	37.5w	12s
≥2A	24w	17s
1.5A	13.5w	30s
	CURRENT≥4A≥3.25A≥2.5A≥2A	CURRENT POWER ≥4A 96W ≥3.25A 65W ≥2.5A 37.5w ≥2A 24w

NOTE: IF THE INPUT VOLTAGE IS LOWER THAN 9V, THE SCREEN WILL DISPLAY LOW VOLTAGE.




TYPE-C INTERFACE





32 Processor, Smart constant temperature, Accuracy < 2%



LEAD-FREE > SOLDERING IRON TIP

Fast heat conduction, tinneda



MULTIFUNCTION AND MULTIPURPOSE

A handy weapon help you in high proficiency









PARAMETER

PD Operating voltage:

9-20V

DC Operating voltage:

9-24V

PD Power:

PD 65W

DC Power:

DC 96W

Temperature range:

80°C-420°C

Power supply:

USB Typr-c port

Fast charging protocol:

PD trigger


Screen:

0.87 Inch OLED screen



STANDARD SHIPPING LIST

NOTE:Different options are different configurations, please check the ordered configuration carefully, we will deliver according to the ordered configuration.



- 1.FNIRSI HS-01*1
- 3.DC TO TYPE-C POWER CORD
- **5.**GIFT BOX

- 2.HS01-BC2 SOLDERING IRON TIP*1
- 4. MINI SOLDERING IRON STAND
- **6.MANUAL**


▼ OPTIONAL ACCESSORIES ▼

Please choose the appropriate accessories/packages according to the actual usage





65W 2 Ports PD GaN Fast Adapter



C2C PD Charging cable(1.2M)



Metal Multifunctional Soldering Iron Stand







