

0 601 6B7 0F0 – GOF 130

Material number	0 601 6B7 0F0
EAN	3165140981552
Centring pin spare part number 1 619 PB5 523	✓
Collet 6 mm spare part number 1 619 PB5 492	✓
Collet 8 mm spare part number 1 619 PB5 490	✓
Dust extraction adapter spare part number 1 619 PB5 521	✓
Guide roller spare part number 1 619 PB5 515	✓
Parallel guide spare part number 1 619 PB5 511	✓
Template guide spare part number 1 619 PB5 522	✓
Wrench spare part number 1 600 A02 28G	✓



Technical data

Technical data

Bit holder	6 – 8.0 mm
No-load speed	11,000 – 28,000 rpm
Router bit diameter	40 mm
Maximum router cage stroke	55 mm
Rated input power	1.300 W
Weight	3,5 kg
Tool dimensions (width)	152 mm
Tool dimensions (length)	272 mm
Tool dimensions (height)	277 mm
Product category subdivision	Router

Noise/vibration information

Sound pressure level	86 dB(A)
Sound power level	97 dB(A)
Uncertainty K	3 dB
Noise level	The A-rated noise level of the power tool is typically as follows: Sound pressure level 86 dB(A); Sound power level 97 dB(A). Uncertainty K= 3 dB.



Sales information

Positioning

- No stops, no jams: the efficiency boost for your routing experience

User benefit

- Efficiency boost thanks to Constant Speed feature and excellent motor performance
- Ideal for use on hardwood, softwood, MDF or plywood
- Constant Speed feature provides maximum cutting efficiency within its class
- Plunge design minimises dust intake and prevents jams for more than 10,000 operations
- Flexible options for fast and easy bit changes: use wrenches or spindle lock