

## TECHNICAL DATA

**Fluke TL71 Premium Test Lead Set**



## Key features

- Comfort grip probes with right-angle test leads, equipped with WearGuard™ indicator for damage detection
- Silicone-insulated leads have superior flexibility in cold temperatures and resistance to high temperatures
- CAT II 1000 V, 10 A rated, When the protective caps are placed on the leads, the ratings jump up to CAT IV 600 V, CAT III 1000 V
- see compatible products below

## Product overview: Fluke TL71 Premium Test Lead Set

The Fluke TL71 Premium Multimeter Test Lead Set is a pair of comfort grip probes (red and black) with flexible silicone-insulated, right-angle test leads. These distinctive comfort grip probes are heat and cold resistant.

As with all Fluke products, these test leads undergo a battery of safety tests to be rated at:

CAT II 1000 V, 10 A rating

CAT III 1000 V, CAT IV 600V with protective cap

The WearGuard™ test lead indicator shows wear and tear easier. It exposes a contrasting color when the leads are damaged and need to be replaced. Silicone-insulated leads have superior flexibility in cold temperatures and resistance to high temperatures.

The Fluke TL71 Premium Test Leads are compatible with all instruments that accept standard 4 mm (0.16 in) shrouded banana connectors. Some of the compatible tools include:

Fluke 902 FC True-RMS HVAC Clamp Meter

Fluke 87V Industrial Multimeter

Fluke 115 Field Technicians Digital Multimeter

Fluke 787B ProcessMeter™

These test leads come with a one-year warranty.

## Specifications: Fluke TL71 Premium Test Lead Set

|                       |   |
|-----------------------|---|
| Lead Length           | 1.2 (4 ft), 2mm diameter probe tip  |
| Category Rating       | CAT II 1000 V, CAT III 1000 V, CAT IV 600 V, 10 A max                                 |
| Operating temperature | -20u00b0C to 55u00b0C (-4u00b0F to 131u00b0F),<br>90 % RH altitude: 2000 m (6,562 ft) |

## Ordering information



### **Fluke TL71**

Test Lead Set

- One pair (red, black) comfort grip probes with silicone insulated, right-angle test leads
- Recommended for  $\mu\text{V}$  measurements
- CAT II 1000 V, 10 A rating
- CAT III 1000 V, CAT IV 600V only with protective cap
- One year warranty

**Fluke.** *Keeping your world up and running.®*

**Fluke Corporation**  
PO Box 9090, Everett, WA 98206 U.S.A.

**For more information call:**  
In the U.S.A. (800) 443-5853  
In Canada (800) 36-FLUKE  
From other countries +1 (425) 446-5500  
[www.fluke.com](http://www.fluke.com)

©2024 Fluke Corporation.  
Specifications subject to change without notice.  
12/2024

**Modification of this document is not permitted  
without written permission from Fluke Corporation.**